



EcoStar Work Version Spec Sheet

1 Primary Battery Settings

- Primary Battery Restart Voltage _____ Volts **(Default 11.8V)**
(Max 14.5V)
- Low Voltage Restart Delay _____ Seconds **(Default 5 Sec)**
(1 to 1800 seconds)
- Recovery Voltage _____ Volts **(Default 13.50V)**
(Max 14.5V)
- Recharge Timer _____ Seconds **(Default 60 sec)**
(1 to 1800 seconds)

2 OPTIONAL Secondary Battery Settings

- Secondary Battery Restart Voltage _____ Volts **(Default- Disabled)**
(Max 14.5V)
- Low Voltage Restart Delay _____ Seconds **(Default- Disabled)**
(1 to 1800 seconds)
- Recovery Voltage _____ Volts **(Default- Disabled)**
(Max 14.5V)
- Recharge Timer _____ Seconds **(Default- Disabled)**
(1 to 1800 seconds)

3 Shutoff Timer

- Idle Shutoff Time _____ Seconds **(Default 15 Sec)**
(1 to 1800 seconds)

4 Enable/ Disable Idle Shutoff Timer (Circle One)

Enabled *OR* Disabled **(Default- Enabled)**
(1 to 1800 seconds)

5 Minimum & Maximum Outside Ambient Air Operating Temperature

- Minimum Temperature _____ **F or C (Default -200°F)**
(-200°F to 65°F)
- Maximum Temperature _____ **F or C (Default 200°F)**
(80°F to 200°F)

6 Minimum Engine Temperature for Auto-Shutoff

- Minimum Temperature _____ **F or C (Default -200°F)**
(-200°F to 200°F)

7 Brake Pedal Configuration (Select One)

- 1 Pedal will inhibit the engine off request (This is the default setting- #1)
- 2 Pedal will auto-restart the engine
- 3 Pedal will auto-restart the engine & inhibit the engine off request
- 4 No additional functions (all options still reset the idle timer)

8 OPTIONAL Thermistor Add-On Feature **(Default setting is disabled)** **(You must order the separate thermistor part to have this option)**

- | | | | | |
|--------------|-------|---------------|--|---|
| Low Restart | _____ | F or C | (Default 55°F)
<small>(Range -30°F to 105°F)</small> | Vehicle will restart at this temp & run until the warmup temp has been reached before allowing the vehicle to shutdown |
| Warmup | _____ | F or C | (Default 70°F)
<small>Between low & high restart temps</small> | |
| High Restart | _____ | F or C | (Default 95°F)
<small>(Range -25°F to 110°F)</small> | Vehicle will restart at this temp & run until the cooldown temp has been reached before allowing the system to shutdown |
| Cool Down | _____ | F or C | (Default 80°F)
<small>Between low & high restart temps</small> | |

Between low & high restart temps

Company Name
Contact Name
Contact Phone Number
Job Name/ Reference
Date
Vehicle (Ford / Chevy)

INTERNAL USE ONLY
Conf. Name:
Date Created: